State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

High Capacity, School or Wastewater Treatment Plant Well Approval Application FEB 1 2 2014

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity well or system of high capacity well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

more duplexes is regulated under on, 1417 of	1, Wis. Aum. Code. Gee Mix o	11.01, 1113. 70	iii. Code ioi	applicability requ	mements	
Applicant Information						
Application Prepared By (Name and Title)		Company			/APPENDICTOR IV	
VINCE VAN dE YACHT	T	VANd	E YAC	HT RUMP	INS	578LLING IN 21P Code 54126
Street Address		City			State	ZIP Code
P. O. Box 110 Telephone Number		GIRE	ENLEX) F	W	54126
	Fax Number		E BA-II A J.J.			
920-655-1368			VVA	NDEVAC	HTO	DNEW. RR.C
Property Ownership Information			2.00			14- 11-11-1
Property owner, if different than applicant	(Name of Person and Title)	Company				100 Ex
MIKE GERRITS		Coun	TRY A	IRE FA	RM:	> LLC
Ctract Address		City			State	ZIP Code
1440 LAMERS-CL	ANCY ROAD	GRE	ENIER	7F	WI	LLC ZIP Code
Telephone Number	Fax Number	, , , ,	E-Mail Addr	ess	1	1
1440 LAMERS-CL Telephone Number 920-371-1206						
Well Operator Information						
Well operator if different than owner (Nam	e of Person and Title)	Company				
Street Address		City			State	ZIP Code
Telephone Number	Fax Number		E-Mail Addr	ess		
Property Information						
Enter the High Capacity Well File Number b	elow if the property is already a	a high capacity	property. If t	he property is no	t designa	ated as a high capacity
property at the time of application, enter "NC or use the compact disk of departmental we	NE." NOTE: Find the file num	ber in upper ri	ght hand corr allers. On the	ner of the most re	cent high	n capacity well approval,
"Location" section. File number format is as	follows: (1 or 2 digits for county	/) - (1 digit for	well classifica	ation) - (1 to 4 dig	its for as	signed property no.).
County	Town	×		High Capacity V		
BROWN	HOLLA	ND		5-3-	OC	05
Submittal Purpose						
Check all that apply:						
Install one or more new wells with	a capacity greater than 70 g	gallons per m	inute.			
Install one or more new wells with	a capacity less than 70 gallo	ons per minu	te on a high	capacity prope	erty.	
Replace one or more wells with a c	capacity greater than 70 gall	lons per mini	ute.			
Replace one or more wells with a c	capacity less than 70 gallons	s per minute	on a high ca	apacity propert	у.	
Reconstruct one or more wells with						
Reconstruct one or more wells with				h capacity pro	perty.	
Increase pumping rate in one or m		1.54				
Request continued operation of hig					eguired	.)
Renew a previous approval that ha			THE ALLES	Harman (S.S.)	- 4 00	
Well (or wells) will serve a school of		nt. See defin	itions on pa	age 5		
Other explain	i dainoni piai	000 00111	po	.50 0.		

Site Status Information

Determine the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers and the information supplied by the property owner. Internet address is dnr.wi.gov/org/water/dwg/dws.htm. Enter YES or NO for each of the following questions.

YES	NO	Has the property boundary changed since the most recent high capacity well approval was issued? If the property is not yet a high capacity property, check NO.
		Has there been a change in well ownership since the last approval was written? If YES, name of current owner: Date of purchase:
	W	Has there been a change in well operator since the last approval was written? If YES, name of current operator: Date of change:
	W	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.
	Ľ	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.
		If YES, list the landfill site ID Number: OR Landfill location: (Township/Range/Section)
		Is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:
		Is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:
		Is a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use restriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts . If YES, list the BRRTS Number here:
		Is a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public water system" in the definitions section on page 5.
	4	Is a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published by the department and/or contact the regional DNR office.
	4	Has the number of wells or pumping capacity in an existing well increased since the most recent high capacity well approval was issued?
	<u> </u>	Has the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high capacity property, check NO.
		Is a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use? SEE PIPING PIAGEAM Will the well discharge directly to a storage pond?
		Is a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?
	VI.	Is a proposed well within 1,200 feet of a quarry?
	T	Is a proposed well located in a floodplain or floodway?
	B	Are any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin Administrative Code?
		Will the well be used as a source of bottled water?
		Are you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well construction standards?
	le le	Is the property served by a community water system?

Existing Well Information 🛮 🙏	<u> </u>	{	$\Xi \lambda$	<u>. Ì ·</u>	5	∇	N	$\mathcal{O}_{\mathcal{I}}$		ΥE	=2	ڪيا	,											
Enter the following information on														s, s	ıbmi	t add	ditio	nal s	heel	s:				
Well Name Assigned by Well Owner (North Well, etc.):																								
Well Number Assigned by Owner (001, 002, etc.):																								
WI Unique Well Number or NA if no number:														•										
Permanent DNR High Capacity Well Number or N/A if none:					•																			
Public Water System ID Number, if Public (if not public, NONE):																								
Potable or Non-Potable Use:																								
Type of Well (Irrigation, Industrial, Residential, etc.):																								
Requested Average Water Usage per Day in Gallons:																								
Requested Maximum Water Usage per Day in Gallons:			•																					
Seasonal? (April to October, Year Around, etc.):						••••		***********									•							
Approved Pumping Capacity if Previously Approved (gpm):																								
Current Pump Type & Capacity (gpm):																								
Proposed Pump Type & Capacity If Change Requested (gpm):																				,				
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):																								
Discharge Location (Building Pressure Tank, Pond, etc.):																								
Height of Well Casing Above Ground in Inches:	-																							_
Potential Contaminant Sources and Distance:								~~~	<u> </u>									***************************************						_
Well Loc: Quarter Quarter Section			1/4 o	F.		1/4	1-		1/4 (nf .		1/4			1/4 (nf		1/4			1/4 of			1/4
or Government Lot Number						***	t			<u> </u>		17.			.,,	<u></u>		11-1			177 01			
Section or French Long Lot No.							T																	
Township:	T					N	Т					N	т					A1	Т				- N	_
Range (Select E or W):	R			П	E [R			Г	E	Jw				$\overline{\Box}$	Εſ	N Tw				П.	N	w
Latitude (Degrees and Minutes)	K					<u></u> y y	T		0				K		······································			,	K	•		LE		<u>vv</u>
Longitude (Degrees and Minutes)				_'_		 ,	├-		-	<u></u>					<u> </u>	'_								= :
GPS Map Datum (WGS84,				<u>-</u> `-			┢╌					`		<u>'</u>		<u>—:</u>								
WTM91, etc.) Include as much of the following inform well construction record is attached, ap	nation oplica	as p	raction	al fo	or we	ells ti	hat d	lo not	have	well	cons	struc	tion r	есог	ds atl	ache	ed to	the	applic	ation	, how	ever	if the	<u> </u>
Date of Construction:	[T																	
Drilled by (Name of Drilling Firm):																								
Drilling Method(s) (Rotary, Percussion, Etc.)	***************************************																				w			_
Well Depth in Feet:																								
Upper Enlarged Drillhole Diameter in Inches and Depth in Feet:		inch	nes,			feet		inc	hes,		1	feet		inc	hes,			feet		inch	ies,		fe	et
Lower Drillhole Diameter in Inches and Depth in Feet:		inch	ies,			feet		inc	hes,			feet		inc	hes,			feet		inch	ies,		fe	et
Well Casing Diameter in Inches and Depth in Feet:		inch	ies,			feet		inc	hes,		1	feet		inc	hes,			feet		inch	ies,		fe	et
Well Casing Material and Wall Thickness:									-															
Annular Space Material Between Casing and Drillhole Wall:																								
s There a Well Screen (Y or N) If so, Screen Material?:																								_

Form 3300-256 (R 7/05)

Page 4 of 6

Proposed Well Information		
Enter the following information on all	proposed wells on the property, if more than two well	s or alternate construction, submit additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):	NORTH	GOUTH
Well Number Assigned by Owner (001, 002, etc.):		
Well Loc: Quarter Quarter Section or French Long Lot Number	NE 1/4 of NW 1/4 of Section ZO	NE 1/4 of NW 1/4 of Section 20
or Government Lot Number		
Township & Range (Select E or W)	T 乙\ N,R 乙U 図E □W	T Z \ N,R ZO BE W
Latitude (Degrees and Minutes)	44 . 16.960 .	44 · 16.893 ·
Longitude (Degrees and Minutes)	088 . 06277 .	080 06.253
GPS Map Datum (WGS84, WTM91, etc.)		
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: FAVZM Potable Non-Potable	Type: FARM Potable Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	ROTARY	ROTARY
	Depths that Are Expected During Drilling:	
Material and Depth Interval:	CLAY from 0' to ZZO	
Material and Depth Interval:	SHALE from 220 to 280	SHALE from 720 to 280.
Material and Depth Interval:	LIMESTONE from 280 to 460	LIMESTONE from ZBO to 460.
Material and Depth Interval:	SANDSTONE from 460 to 760	SANDSTONE from 460 to 760.
Material and Depth Interval:	from 'to	from 'to '
Drillhole Diameter and Anticipated Dep	oth Intervals:	
Diameter and Depth Interval:	12" from 0 to 280	12 from 0 to 280
Diameter and Depth Interval:	8" from Z80 to 760	' 8" from 2.80 to 760 '
Diameter and Depth Interval:	from ' to	from ' to '
	and Wall Thickness at Anticipated Depth Intervals:	
Diameter and Wall Thickness at Depth Interval:	8 "diam/ · 3 Z Z" thick 0' to Z 80 ·	8 "diam/ . 3 Z Z" thick 0' to Z 80 ·
Diameter and Wall Thickness	"diam/ "thick 'to	"diam/ "thick 'to '
at Depth Interval: Permanent Casing or Liner Material, If		T diam thick to
Casing Joints (Welded, T and C,	MELDED	WELDED
etc.) Material and Weight	· · · · · · · · · · · · · · · · · · ·	
at Depth Interval:	STEEL 128.5 bestoot 0' to 280'	STEEL 285 bs/foot 0' to 280
Material and Weight at Depth Interval:	/ lbs/foot ' to '	/ lbs/foot ' to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	/ "/ ' to	, / "/ 'to '
Casing to Screen Joint (Welded, T and C, K Packer, etc.)		
Annular Space Material Including Filter	r Pack Material, If Used:	
Material and Depth Interval:	CEMENT / 0'10280	CEMENT 1 0' 10280.
Material and Depth Interval:	/ ' to	' ' to '
Proposed Average Water Usage Per Day in Gallons:		
Proposed Maximum Water Usage Per Day in Gallons:	Z88,000	288,000
Seasonal? (April to October, Year Around, etc.):	YEAR ROUND	YEAR ROUND
Proposed Pump Type & Capacity (gpm):	SUB. VFD 200	SUB. VFD ZOO
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	PITLESS	PITLESS
Discharge Location (Building Pressure Tank, Pond, etc.):		BUILDING PRES, TONK
Distance and Direction to Nearest Public Utility Well & Well Name:	8200' NORTH to	8700'
Distance to Other Potential Contaminant Sources:	GREE	NLEAF #3
Distance to Other Potential	NEISW	5.8TZINR20E
Contaminant Sources:		1016111 CUC
Leave Blank, for Department use only		

REQUEST TO INCREASE PUMPING to 609 PM Form 3300-256 (R7/05)

Proposed Well Information Enter the following information on all proposed wells on the property, if more than two wells or alternate construction, submit additional sheets; Well Name Assigned by Well Owner (North Well, etc.): Well Number Assigned by Owner DEEDENED (001, 002, etc.): Well Loc: Quarter Quarter Section or 1/4 of Section 20 French Long Lot Number 1/4 of 1/4 of Section or Government Lot Number Township & Range (Select E or W) Ε ⊒w∫τ N, R N, R Latitude (Degrees and Minutes) 0 03 Longitude (Degrees and Minutes) 505 0 GPS Map Datum (WGS84, WTM91, etc.) Type of Well (Irrigation, Industrial, Potable Potable Residential, etc.): Type: FARM Non-Potable Type: Non-Potable Drilling Method(s) (Rotary, Percussion, Etc.): Anticipated Geological Materials and Depths that Are Expected During Drilling: Material and Depth Interval: 0 ' to from 0 ' to from Material and Depth Interval: ¹ to from ¹ to from Material and Depth Interval: ¹ to from ' to from Material and Depth Interval: ' to ' to from from Material and Depth Interval: ' to from from ' to **Drillhole Diameter and Anticipated Depth Intervals:** Diameter and Depth Interval: to ' to from from Diameter and Depth Interval: ¹ to ' to from from Diameter and Depth Interval: from ' to from ' to Permanent Casing or Liner Diameter and Wall Thickness at Anticipated Depth Intervals: Diameter and Wall Thickness " diam/ " thick " diam/ " thick 0 ' to 0' to at Depth Interval: Diameter and Wall Thickness ' to at Depth Interval: " diam/ " thick " diam/ " thick ' to Permanent Casing or Liner Material, If Used: Casing Joints (Welded, T and C, etc.) Material and Weight 0 ' to lbs/foot 0' to at Depth Interval: lbs/foot Material and Weight ' to lbs/foot at Depth Interval lbs/foot ' to Screen Material, Slot Size in Inches and Depth Interval or N/A if none: ' to ' to Casing to Screen Joint (Welded, T and C, K Packer, etc.) Annular Space Material Including Filter Pack Material, If Used: Material and Depth Interval: 0 ' to 0' to Material and Depth Interval: ¹ to ' to Proposed Average Water Usage Per Day in Gallons: Proposed Maximum Water Usage Per Day in Gallons: Seasonal? (April to October, Year Around, etc.): Proposed Pump Type & Capacity (gpm): Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit): Discharge Location (Building Pressure Tank, Pond, etc.): Distance and Direction to Nearest Public Utility Well & Well Name: Distance to Other Potential Contaminant Sources: Distance to Other Potential Contaminant Sources:

Leave Blank, for Department use only

Required Attachments

- 1. Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
 - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
 - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- 7. If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the application is only for continued operation after a change of ownership.

Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box
VINCE VAN DE YACHT	Owner Agent of the Owner
Signature Comp.	UDE VACHT PUMPING INSTAll 2002/09/14
Application submittal. Mail completed application and payment Section - DG/2, PO Box 7921, Madison WI 53707-7921.	with all required attachments to DNR, Private Water Systems
Definitions from Wisconsin Administrative Codes	

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]

"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812.07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]

